



OIML Certificate of Conformity

OIML Member State
The Netherlands

Number R51/2006-NL1-09.01 revision 1
Project number SO15204710
Page 1 of 2

Issuing authority	NMi Certin B.V. Person responsible: C. Oosterman
Applicant and Manufacturer	OCME s.r.l. Via del Popolo 20/A 43100 Parma Italy
Identification of the certified type	An Automatic catchweighing instrument Type : Libra R.../...P...
Characteristics	See next page

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R 51 - Edition 2006 (E) for accuracy class XIII(0,5)

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified.
This Certificate does not bestow any form of legal international approval.

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.

Issuing Authority **NMi Certin B.V., OIML Issuing Authority NL1**
20 December 2017



C. Oosterman
Head Certification Board

NMi Certin B.V.
Hugo de Grootplein 1
3314 EG Dordrecht
the Netherlands
T +31 78 6332332
certin@nmi.nl
www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org



OIML Member State
The Netherlands

Number R51/2006-NL1-09.01 revision 1
Project number SO15204710
Page 2 of 2

The conformity was established by the results of tests and examinations provided in the associated OIML Test Reports:

- No. R51/2006-NL1-09.01 revision 1 dated 20 December 2017 that includes 32 pages;
- No. 802900 revision 1 dated 20 December 2017 that includes 36 pages.

Characteristics of the automatic catchweighing instrument

Destined to be used as	Checkweigher in a filling carousel for containers	
Accuracy class	XIII(0,5) the actual accuracy class is determined at the time of putting into use	
Maximum capacity	Max \leq 35 kg	
Minimum capacity	Min \geq 150 g	
Verification scale interval	$e \geq$ 1 g	
Weighing range(s)	Single interval	
Maximum number of scale intervals (single interval)	$n \leq$ the number of scale intervals mentioned in the certificates involved	
Tare	$T \leq -(Max - 1 e)$	
Maximum rate of operation	700 packages per hour per filling head	
Electromagnetic environment class	E1	
Climatic environment	temperature range	+5 °C / +35 °C
	humidity	non-condensing
	intended location	closed

Revision History

This revision replaces the previous version.

Revision	Date	Change
Initial	29 May 2009	-
1	20 December 2017	Corrected reference to test reports (editorial)