

Nederlands Meetinstituut

**OIML Member state**  
The Netherlands

**OIML Certificate N° R61/2004-NL1-05.01**

Project number 409621

Page 1 of 3

## OIML CERTIFICATE OF CONFORMITY

### Issuing authority

Name: NMI Certin B.V.  
Address: Hugo de Grootplein 1,  
3314 EG Dordrecht  
The Netherlands  
Person responsible: Ing. C. Oosterman

### Applicant

Name: Laurijsen Weegautomaten Dongen B.V.  
Address: De Leest 22  
5107 RC Dongen  
The Netherlands

### Manufacturer of the certified type

Name: NewWeigh  
Address: De Leest 22  
5107 RC Dongen  
The Netherlands

### Identification of certified type

Type : Cxx-x series

The actual class shall be determined at initial verification.

The maximum of 4 weighing heads

Not to be used as a selective combination weighing instrument

Per weighing head:

$25 \text{ g} \leq \text{Max} \leq 30 \text{ kg}$

$n \leq$  the number of scale intervals mentioned in the test certificates involved.

The actual maximum filling rate shall be determined at initial verification.

The time interval of the automatic zero-setting  $\leq 1$  hour.

Temperature range  $+5 \text{ °C} / +40 \text{ °C}$


**NMI Certin B.V.**  
Hugo de Grootplein 1, 3314 EG Dordrecht  
P.O. Box 394, 3300 AJ Dordrecht, NL  
phone +31 78 6332332  
fax +31 78 6332309  
certin@nmi.nl  
www.nmi.nl

Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMI B.V. (see "Regulation objection and appeal against decisions of NMI B.V.")

NMI Certin B.V., chamber o.c. nr. 27.233.418

This document is issued under the provision that no responsibility is accepted and that the applicant gives warranty for each responsibility against third parties.

The notification of NMI Certin as Issuing Authority can be verified at [www.oiml.org](http://www.oiml.org).



**OIML Member state**  
The Netherlands

**OIML Certificate N° R61/2004-NL1-05.01**

Project number 409621

Page 2 of 3

Minimum values of Minfill:

d (g)	ref (0.2) Minfill (g)	ref (0.5) Minfill (g)	ref (1) Minfill (g)	ref (2) Minfill (g)
1	333	44	22	11
2	1334	178	44	22
5	3335	1335	335	110
10	6670	2670	1330	330
20	20000	5340	2660	1340
50	50000	20000	6650	3350
100	100000	40000	20000	6700
200	200000	80000	40000	20000
500	250000	100000	50000	25000

This Certificate attests the conformity of the above identified type (represented by the sample or samples identified in the associated Test Report, the type-approval certificate and the description with number T6737 and the appertaining documentation folder) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

**R61**  
Edition 2004 (E)  
for accuracy class Ref(X).

This Certificate relates only to the metrological and technical characteristics of the type of instrument covered by the relevant OIML Recommendation identified above.

This Certificate does not bestow any form of legal international approval.



Nederlands Meetinstituut

**OIML Member state**  
The Netherlands

**OIML Certificate N° R61/2004-NL1-05.01**

Project number 409621

Page 3 of 3

The conformity was established by the results of tests and examinations provided in the associated Test Reports:

- N° 409621 that includes 43 pages;
- N° R61-NL1-05.01A that includes 24 pages;
- N° R61-NL1-05.01B that includes 18 pages;
- N° R60/1991-NL-97.03A that includes 37 pages;
- N° R60/1991-NL-97.03B that includes 35 pages;
- N° R60/2000-NL-00.10 that includes 35 pages;
- N° R60/2000-NL1-03.11 that includes 37 pages.

The Issuing Authority  
Ing. C. Oosterman  
Manager Product Certification

7 December 2005

\*  
\* \*

**Important note:** Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate is issued, partial quotation of the Certificate and of the associated Test Report is not permitted, although either may be reproduced in full.