OIML Certificate of Conformity

OIML Member State
The Netherlands

Number R61/2004-NL1-14.01
Project number 13200362

Issuing authority	NMi Certin B.V. Person responsible: C. Oosterman
Manufacturer and Applicant	Immea Dosatrici S.R.L. Via Borsellino 27 25038 Rovato (BS) Italy
Identification of the certified type	An **Automatic gravimetric filling instrument** Type : DAP…
Characteristics	See next page

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R61 - Edition 2004 (E) for accuracy class Ref(1)

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified.
This Certificate does not bestow any form of legal international approval.

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.

Issuing Authority **NMi Certin B.V., OIML Issuing Authority NL1**
21 February 2014

C. Oosterman
Head Certification Board

NMi Certin B.V.
Hugo de Grootplein 1
3314 EG Dordrecht
the Netherlands
T +31 78 6332332
certin@nmi.nl
www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org

Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMi (see www.nmi.nl).

OIML Certificate of Conformity

OIML Member State
The Netherlands

Number R61/2004-NL1-14.01
Project number 13200362

The conformity was established by the results of tests and examinations provided in the associated OIML Test Report(s):

- No. NMi-13200362-01 dated 8 January 2014 that includes 20 pages;
- No. 504169A dated 21 October 2005 that includes 45 pages;
- No. 504169B dated 21 October 2005 that includes 16 pages;
- No. PTB 1.12-4047802-1 dated 21 July 2010 that includes 24 pages;
- No. PTB 1.12-4047802-2 dated 22 July 2010 that includes 19 pages;
- No. PTB 1.12-4047802-3 dated 22 July 2010 that includes 19 pages;
- No. PTB 1.12-4047802-4 dated 21 July 2010 that includes 20 pages.

Characteristics of the automatic gravimetric filling instrument

Destined to be used as	single load weigher
Reference accuracy class X	Ref (1) actual class X(x) is determined at the time of putting into use
Temperature range	-10 °C / +40 °C
Maximum capacity (Max)	≤ 3000 kg
Minimum capacity (Min)	≤ Minfill, see table below
Number of verification scale intervals	n ≤ 3000
Power supply voltage	220 – 240 V AC 50/60 Hz
Software identification	As mentioned in the certificates involved

Rated minimum fill (MinFill) based on a typical number of **one** weighing container:

	Reference accuracy class	
d [g]	X(1) [g]	X(2) [g]
1	130	32
2	390	130
5	1945	485
10	3890	1950
20	7780	3900
50	29200	9750
≥ 100	584 x d	292 x d

The weighing instrument can be used in non-automatic mode as control weighing instrument.