



OIML Certificate of Conformity

OIML Member State
The Netherlands

Number R76/2006-NL1-15.25
Project number 15200077
Page 1 of 2

Issuing authority	NMi Certin B.V. Person responsible: C. Oosterman
Applicant and Manufacturer	Mettler-Toledo, LLC 1150 Dearborn Drive Worthington, Ohio 43085-6712 United States of America
Identification of the certified type	A Non-automatic weighing instrument Type : BC Series
Characteristics	See next page

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R 76 - Edition 2006 for accuracy class **III**

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified. This Certificate does not bestow any form of legal international approval.

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.

Issuing Authority **NMi Certin B.V., OIML Issuing Authority NL1**
26 May 2015



C. Oosterman
Head Certification Board

NMi Certin B.V.
Hugo de Grootplein 1
3314 EG Dordrecht
the Netherlands
T +31 78 6332332
certin@nmi.nl
www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org

Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMi (see www.nmi.nl).



The conformity was established by the results of tests and examinations provided in the associated OIML Test Report(s):

- No. NMI-14200417-01 dated 16 October 2014 that includes 29 pages;
- No. NMI-14200417-02 dated 16 October 2014 that includes 29 pages.
- No. NMI-15200077-01 dated 19 May 2015 that includes 33 pages;
- No. NMI-15200077-02 dated 19 May 2015 that includes 30 pages.

Characteristics of the non-automatic weighing instrument:

	MT1041 and 0785	MT1260	0795	SLP331D	AMI
Accuracy class	III				
Maximum capacity	15 ≤ Max ≤ 60 kg	Max ≤ 150 kg	Max ≤ 150 kg	30 ≤ Max ≤ 50 kg	3 ≤ Max ≤ 15 kg
Verification scale interval	e ≥ 0,005 kg	e ≥ 0,05 kg	e ≥ 0,02 kg	e ≥ 0,001 kg	e ≥ 0,001 kg
Weighing range(s)	Single interval Multi-interval Multiple range	Single interval	Single interval Multiple range	Single interval Multi-interval Multiple range	Single interval Multi-interval Multiple range
Maximum number of scale intervals (single interval)	n ≤ 3000 divisions			n ≤ 3500 divisions	n ≤ 3000 divisions
Maximum number of scale intervals (multi-interval)	n ≤ 3000 divisions (per partial weighing range)	-	-	n ≤ 3500 divisions (per partial weighing range)	n ≤ 3000 divisions (per partial weighing range)
Maximum number of scale intervals (multiple range)	n ≤ 3000 divisions	-	n ≤ 3000 divisions	n ≤ 3500 divisions	n ≤ 3000 divisions
Tare	T ≤ -Max				
Maximum number of (partial) weighing ranges	2	1	2	3	2
Temperature range	0 °C / 40 °C				-10 °C / 40 °C
Power supply voltage	5 V DC (USB)				
Application	Intended to be used for determining a transport tariff Intended to be used for direct sales to the public				
Software version ²⁾ : 0.00.xxxx	SW number: 30099478 CRC32: 0x4B8B4440	SW number: 30099478 CRC32: 0x93B46AB4	SW number: 30099478 CRC32: 0x805D6909	SW number: 30099478 CRC32: 0x9187A86A	-
Software version ³⁾ : 1.00.xxx	SW number: 30233384 or 233384 ¹⁾	SW number: 30233384 or 233384 ¹⁾	SW number: 30233384 or 233384 ¹⁾	SW number: 30233384 or 233384 ¹⁾	SW number: 30233384 or 233384 ¹⁾

Remarks:

- 1) 6-Digit format for the 7-segment display.
- 2) The software version is identified with 0.00.xxxx, where "xxxx" can be a number between 0002 and 9999 which represent non metrological relevant changes by the manufacturer.
- 3) The software version is identified with 1.00.xxx, where "xxx" can be a number between 004 and 999 which represent non metrological relevant changes by the manufacturer.