

OIML Certificate of Conformity

OIML Member State

The Netherlands

Number R76/2006-NL1-17.68 Project number 1900962 Page 1 of 2

NMi Certin B.V. Issuing authority

Person responsible: C. Oosterma

Applicant and Manufacturer

Hytech International B.V. Meesterstraat 44-46 2632 BC Nootdorp

The Netherlands

Identification of

certified type

See next page Characteristics

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R 76 - Edition 2006 for accuracy class (III)



This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified This Certificate does not bestow any form of legal international approval.

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.

NMi Certin B.V., OIML Issuing Authority

28 December 2017

NMi Certin B.V. Hugo de Grootplein 1 3314 EG Dordrecht the Netherlands T +31 78 6332332 certin@nmi.nl www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability

The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org







OIML Certificate of Conformity

OIML Member StateThe Netherlands

Number R76/2006-NL1-17.68 Project number 1900962 Page 2 of 2

The conformity was established by the results of tests and examinations provided in the associated OIML Test Report(s):

- No. NMi-1900962-01 dated 28 December 2017 that includes 59 pages.

Characteristics of the non-automatic weighing instrument:

| | + |
|---|--|
| Accuracy class | (III) |
| Maximum capacity | + + + + + + + Max ≤ 30 kg |
| Verification scale interval * * * * * | + + + + + + + + e ≥ 1 g + + + + + + + + + + + + + + + + + + |
| Weighing ranges | Multi-interval Multiple range |
| Maximum number of scale intervals (multi-interval) | $n \le 2500$ divisions for the smallest partial weighing range $n \le 1000$ divisions for the larger partial weighing ranges |
| Maximum number of * * * * * * * * * * * * * * * * * * | + |
| Maximum number of scale intervals (multiple range) | $n \le 2500$ divisions for the smallest weighing range $n \le 1000$ divisions for the larger weighing ranges |
| Maximum number of weighing ranges | + |
| Temperature range | +5 °C / +40 °C |
| Power supply voltage | 100-240V AC, 50/60 Hz, to 12V DC, 6,67 A, adapter |
| Application + + + + + + + + + + + + + + + + + + + | Intended to be used for direct sales to the public Intended to be used for determining a conveying tariff. |
| Software identification * * * * * * | Hytech.Legal.dll with hash xTwzAi8FCgQMO3NVKtx4IMEXnabVbtxPatbdSelic1o= |

Software:

 The software hash identification is displayed after clicking on the weight on the menu bar and then double clicking on the weight indication;

The above identified Type (represented by the sample(s) identified in the OIML Test Report) have been found to comply with the additional national requirements established by Canada, included in the MAA Declaration of Mutual Confidence:

- R 76 DoMC-01 rev.0, Additional requirements from Canada;
- R 76 DoMC-02 rev.0, Additional requirements from Canada.