

**OIML Member State**  
The Netherlands

Number R76/2006-A-NL1-20.21  
Project number 2475906  
Page 1 of 3

Issuing authority NMI Certin B.V.  
Person responsible: M. Boudewijns

Applicant and Manufacturer Mettler Toledo GmbH  
Im Langacher 44  
8606 Greifensee  
Switzerland

Identification of the certified type An **indicator / terminal**  
Type : IND890-1, IND930

Characteristics See next page

This OIML Certificate is issued under scheme A.

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

**OIML R 76** - Edition 2006 for accuracy class **II** or **III** or **III**

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified. This Certificate does not bestow any form of legal international approval.

*Important note:* Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.

Issuing Authority

**NMI Certin B.V., OIML Issuing Authority NL1**  
29 June 2020

Certification Board

NMI Certin B.V.  
Thijsseweg 11  
2629 JA Delft  
The Netherlands  
T +31 88 6362332  
certin@nmi.nl  
www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMI Certin B.V. as Issuing Authority can be verified at [www.oiml.org](http://www.oiml.org)

This document is digitally signed and sealed. The digital signature can be verified in the blue ribbon on top of the electronic version of this certificate.



The conformity was established by the results of tests and examinations provided in the associated OIML Reports:

- No. NMI-1900621-01 dated 24 May 2017 that includes 31 pages;
- No. NMI-1900621-02 dated 24 May 2017 that includes 14 pages;
- No. NMI-1900621-03 dated 6 June 2017 that includes 26 pages;
- No. NMI-2475906-01 dated 29 June 2020 that includes 26 pages.

### Characteristics of the indicator:

Configuration	Digital load cell(s), weighing module or ADPD		
Accuracy class	II or III or IIII		
Weighing range(s)	Single interval Multi-interval Multiple range		
Load cell power supply	5 V DC / 12 V DC		
Fraction of the maximum permissible error	0		
Maximum number of load platforms	4		
Temperature range	-10 °C / +40 °C		
Power supply voltage	100 – 240 V AC 50/60 Hz		
Software identification	Software module	Version <sup>(1)</sup>	Checksum
	Boot service 'Classic' version	V1.1.3 or v1.1.3	B645
	Scale server 'Classic' version	V1.y.xxz or v1.y.xxz	-
	Boot service 'Pro' version	V2.0.0 or 2.0.0	EE8D
	Scale server 'Pro' version	V2.y.xx or 2.y.xx	-
	Boot service 'Pro' UWP version	V3.0.xx or 3.0.xx	nr81c26xwwyde.aa (Publisher ID, aa=0...99)
	Scale server 'Pro' UWP version	3.y.xx	-
	ScaleLock	V1.1.xx	
	Scale module 'IDNet or Rainbow'	V1.1.xx	
Scale module 'POWERCELL'	V1.xx.yyyy		

Remarks: 1, The letter x, y and z in version number are not relevant for legal metrology and can be represented by numbers or letters.



**OIML Member State**  
The Netherlands

# OIML Certificate

Number R76/2006-A-NL1-20.21  
Project number 2475906  
Page 3 of 3

Software:

- The identification number will be displayed after pressing the following button:

- 'Classic' version: 

- 'Pro' version and 'Pro' UWP version: 

