

OIML CERTIFICATE OF CONFORMITY

Issuing authority

Name: NMi Certin B.V.
Address: Hugo de Grootplein 1,
3314 EG Dordrecht
The Netherlands
Person responsible: Ing. C. Oosterman

Applicant

Name: Dresser Wayne Pignone
DEG Italia SpA
Address: Via Roma 32
IT 23018 Talamona (SO)
Italy

Manufacturer of the certified type


Name:	Dresser Wayne Pignone	Dresser Wayne Pignone	Dresser Indústria e Comércio Ltda.
	DEG Italia SpA	Dresser Wayne AB	Divisão Wayne
Address:	Via Roma 32 IT 23018 Talamona (SO) Italy	Limhamnsvägen 109 Box 300 49 200 61 Malmö Sweden	Estrada do Timbó, 126 Higienópolis Rio de Janeiro - RJ Brazil

Identification of certified type

Type : DPX-A Light Oil Mix

Fuel dispensers for Motor Vehicles, model "DPX-A Light Oil Mix" with a Q_{max} of 50 L/min.

Further characteristics: see page 3.



Nederlands Meetinstituut

OIML Member state
The Netherlands

OIML Certificate N° R117/1995-NL1-05.08

Project number 507097

Page 2 of 3

This Certificate attests the conformity of the above identified type with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

R117
Edition 1995
for accuracy class (0,5).

R118
Edition 1995

This Certificate relates only to the metrological and technical characteristics of the type of instrument covered by the relevant OIML Recommendation identified above.

This Certificate does not bestow any form of legal international approval.

The conformity was established by the results of tests and examinations provided in the associated Test Report:

No. R117/1995-NL1-05.07 that includes 35 pages

The Issuing Authority
Ing. C. Oosterman
Manager Product Certification

30 January 2006

*
* *

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate is issued, partial quotation of the Certificate and of the associated Test Report is not permitted, although either may be reproduced in full.



Characteristics of Fuel dispensers for Motor Vehicles, model "DPX-A Light Oil Mix" :

with one "ALUBLOCK 2000" Gas Elimination Device or one "CPU" Gas Elimination Device and one NP1000 Measurement Transducer:

Maximum flowrate L/min	Minimum flowrate L/min	Accuracy class	Minimum measured quantity L	Liquid	Maximum volume indication L	Maximum unit price EURO/L	Maximum price to pay EURO/L
50	2.5	0.5	2	*	999.99	9.999	9999.99

* Liquid: Gasoline and gasoline-oil mixtures

The measuring system consists of:

or

- One Dresser Wayne Pignone, ALUBLOCK 2000 combined pump and gas eliminator device known from OIML Testreport R117/1995-NL1-01.02, the Dutch Testcertificate TC3412 and the EC Typeapproval E245;

or

- One Dresser Wayne AB, CPU (Compact Pump Unit) combined pump and gas eliminator device, known from SP OIML Testreport 99V21784;

together with

- One Dresser Wayne Pignone , NP1000 measurement transducer and one Dresser Wayne Pignone, oil metering pump and oil % selector, see OIML Testreport R117/1995-NL1-05.07;
- One Dresser Wayne Pignone, PAW94 Pulser, known from the OIML Testreport CPC/401037;
One Dresser Wayne Pignone, OTP-ELT calculating/indicating device, known from the Dutch Testcertificate TC3546, and included in the OIML Testreport R117/1995-NL1-04.03.