

Nederlands Meetinstituut

**OIML Member state**  
The Netherlands

**OIML Certificate N° R117/1995-NL1-06.01**

Project number 603716

Page 1 of 4

## OIML CERTIFICATE OF CONFORMITY

### Issuing authority

Name: NMI Certin B.V.  
Address: Hugo de Grootplein 1,  
3314 EG Dordrecht  
The Netherlands  
Person responsible: Ing. C. Oosterman

### Applicant

Name: Petrotec – Assistência Técnica ao Ramo Petrolífero, S.A.  
Address: Parque Industrial de S. João De Ponte – Pav. C2  
4800-493 Guimarães  
Portugal

### Manufacturer of the certified type

Name: Petrotec – Assistência Técnica ao Ramo Petrolífero, S.A.  
Address: Parque Industrial de S. João De Ponte – Pav. C2  
4800-493 Guimarães  
Portugal

### Identification of certified type

Fuel dispenser for Motor Vehicles  
Type : EURO 1000 VI R  
Flowrates:  
Q<sub>max</sub> Low speed : 40 L/min or 45 L/min  
Q<sub>max</sub> High speed : 80 L/min  
Q<sub>max</sub> Ultra high speed : 130 L/min  
or combinations of these flowrates

Further characteristics: see pages 3 and 4.


**NMI Certin B.V.**  
Hugo de Grootplein 1, 3314 EG Dordrecht  
P.O. Box 394, 3300 AJ Dordrecht, NL  
phone +31 78 6332332  
fax +31 78 6332309  
certin@nmi.nl  
www.nmi.nl

Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMI B.V. (see "Regulation objection and appeal against decisions of NMI B.V.")

NMI Certin B.V., chamber o.c. nr. 27.233.418

This document is issued under the provision that no responsibility is accepted and that the applicant gives warranty for each responsibility against third parties.

The notification of NMI Certin as Issuing Authority can be verified at [www.oiml.org](http://www.oiml.org).



Nederlands Meetinstituut

**OIML Member state**  
The Netherlands

**OIML Certificate N° R117/1995-NL1-06.01**

Project number 603716  
Page 2 of 4

This Certificate attests the conformity of the above identified type (represented by the sample or samples identified in the Test Reports, the type-approval certificate and the description with number T2913 and the appertaining documentation folder plus the documentation folder R117/1995-NL1-06.01) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

**R117**  
Edition 1995  
for accuracy class (0,5).

**R118**  
Edition 1995

This Certificate relates only to the metrological and technical characteristics of the type of instrument covered by the relevant OIML Recommendation identified above.

This Certificate does not bestow any form of legal international approval.

The conformity was established by the results of tests and examinations provided in the Test Reports as indicated on pages 3 and 4.

The Issuing Authority  
Ing. C. Oosterman  
Manager Product Certification

  
29 May 2006

\*  
\* \*

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate is issued, partial quotation of the Certificate and of the associated Test Report is not permitted, although either may be reproduced in full.



Characteristics of Fuel dispensers for Motor Vehicles, model "EURO 1000 VI R".

with one Gas Elimination Device manufactured by Petrotec , type RTF, known from the OIML Testreport PF/8463, one Measurement Transducer manufactured by Petrotec or Stork, type PTF, known from the OIML Testreport PF/4794, and one Electronic Calculator/Indicating device manufactured by Petrotec, type CEM 01, known from the OIML Testreport PF/6188 or type CEM 03, known from the OIML Testreport PF/9190:

Maximum flowrate L/min	Minimum flowrate L/min	Accuracy class	Minimum measured quantity L	Liquid	Maximum volume indication L	Maximum unit price €/L	Maximum price to pay €/L
40 or 45	2,5	0,5	2	*	9999,99	99,999	9999,99

\* Liquid: Light refined oil products and gasoil

or


with one Gas Elimination Device manufactured by Petrotec , type RTF, known from the OIML Testreport PF/8463, one Measurement Transducer manufactured by Petrotec or Stork, type PTF, known from the OIML Testreport PF/4794, and one Electronic Calculator/Indicating device manufactured by Petrotec, type CEM 01, known from the OIML Testreport PF/6188 or type CEM 03, known from the OIML Testreport PF/9190:

Optional is the possibility to change up the flowrate of the fuel dispenser up to 80 L/min by pushing a button.

Maximum flowrate L/min	Minimum flowrate L/min	Accuracy class	Minimum measured quantity L	Liquid	Maximum volume indication L	Maximum unit price €/L	Maximum price to pay €/L
80	2,5	0,5	2	*	9999,99	99,999	9999,99

\* Liquid: Only gasoil

or



**OIML Member state**  
The Netherlands

with one Gas Elimination Device manufactured by Petrotec , type RTF, known from the OIML Testcertificate PF/8463, one Measurement Transducer manufactured by Petrotec or Stork, type PTF, known from the OIML Testcertificate PF/4794, and one Electronic Calculator/Indicating device manufactured by Petrotec, type CEM 01, known from the OIML Testcertificate PF/6188 or type CEM 03, known from the OIML Testcertificate PF/9190:

Optional is the possibility to change up the flowrate of the fuel dispenser up to 130 L/min by pushing a button.

Maximum flowrate L/min	Minimum flowrate L/min	Accuracy class	Minimum measured quantity L	Liquid	Maximum volume indication L	Maximum unit price €/L	Maximum price to pay €/L
130	2,5	0,5	2	*	9999,99	99,999	9999,99

\* Liquid: Only gasoil