

OIML Certificate



OIML Member State The Netherlands Number R76/2006-A-NL1-18.48 revision 3 Project number 3569630 Page 1 of 3

lssuing authority	NMi Certin B.V. Person responsible: M.Ph.D. Schmidt	
Applicant and Manufacturer	Teraoka Seiko Co., Ltd. 5-13-12, Kugahara, Ohta-ku, 146-8580 Tokyo Japan	
Identification of the	A Non-automatic weighing instrument	
certified type	Type : AW-5600, AW-5600CP, AW-5600CPR, AW-5600FX	
Characteristics	See next page	

This OIML Certificate is issued under scheme A.

This Certificate attests the conformity of the above identified Type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R 76-1:2006 for accuracy class (III)

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation above-identified. This Certificate does not bestow any form of legal international approval.

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Test Report(s) is not permitted, although either may be reproduced in full.





NMi Certin B.V. Thijsseweg 11 2629 JA Delft The Netherlands T +31 88 6362332 certin@nmi.nl www.nmi.nl NMi Certin B.V., OIML Issuing Authority NL1 8 November 2022

Certification Board

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org

This document is digitally signed and sealed. The digital signature can be verified in the blue ribbon on top of the electronic version of this certificate.







OIML Certificate

OIML Member State The Netherlands



Number R76/2006-A-NL1-18.48 revision 3 Project number 3569630 Page 2 of 3

The conformity was established by the results of tests and examinations provided in the associated OIML Reports:

- No. NMi-12200108-10 dated 29 January 2013 that includes 15 pages;
- No. NMi-12200108-11 dated 29 January 2013 that includes 15 pages;
- No. NMi-12200108-17 dated 4 April 2014 that includes 14 pages;
- No. NMi-12200108-01 dated 25 June 2014 that includes 49 pages;
- No. NMi-12200108-08 revision 1 dated 8 August 2014 that includes 17 pages;
- No. NMi-12200108-09 dated 8 August 2014 that includes 12 pages;
- No. NMi-12200108-15 dated 8 August 2014 that includes 17 pages;
- No. NMi-12200108-16 dated 8 August 2014 that includes 17 pages;
- No. R76/1992-NL1-10.10 revision 1 dated 9 January 2015 that includes 34 pages;
- No. NMi-16200470-03 dated 22 March 2017 that includes 27 pages;
- No. NMi-16200470-04 dated 22 March 2017 that includes 47 pages;
- No. NMi-16200470-05 dated 22 March 2017 that includes 12 pages;
- No. NMi-16200470-06 dated 22 March 2017 that includes 17 pages;
- No. NMi-16200470-09 dated 20 November 2017 that includes 11 pages;
- No. NMi-2239501-01 dated 11 December 2018 that includes 17 pages;
- No. NMi-2605020-01 dated 13 April 2021 that includes 6 pages;
- No. NMi-2603596-02 dated 28 July 2022 that includes 22 pages;
- No. NMi-3522158-01 dated 12 August 2022 that includes 19 pages;
- No. NMi-3569630-01 dated 8 November 2022 that includes 19 pages.

Characteristics of the non-automatic weighing instrument:

	(+)	
Accuracy class		
Maximum capacity		$6 \text{ kg} \le \text{Max} \le 15 \text{ kg}$
Verification scale interval		$e \ge 1 g$
Weighing ranges		Single interval Multi-interval
Maximum number of scale intervals (one weighing range)		n ≤ 3000 divisions
Maximum number of scale intervals (multi-interval)		n ≤ 3000 divisions (per partial weighing range)
Maximum number of partial weighing ranges		2
Tare		$T \leq$ -Max for instruments with one weighing range $T \leq$ -Max_1 for multi-interval instruments
Temperature range		-10 °C / +40 °C
Power supply voltage		100 – 240 V AC 50/60 Hz
Application		Intended to be used for the making-up of prepackages
Software identification	Measurement software	Version number: 1.xx or 2.xx or 3.xx (xx = 00 99)
	A/D board software	Version numbers: 3.xx (For TPB-3356 A/D-board, xx = 22 99), or 1.xx (For TPB-3772 A/D-board, xx = 00 99)





Number R76/2006-A-NL1-18.48 revision 3 Project number 3569630 Page 3 of 3

Revision History

This revision replaces the previous versions.

Revision	Date	Change(s)
Initial	2018-12-11	-
1	2021-04-13	Addition of type evaluation report NMi-2605020-01 (remote desktop software)
2	2022-08-12	Added test reports NMi-2603596-02 and NMi-3522158-01 (new main boards)
3	2022-11-08	Added test report NMi-3569630-01 (additional board SCDB-4298 used for RS232C-USB conversion to mainboard MB-i2201)

÷